



Deodorant Stick

Phase	Trade/Drug Name	INCI Name	Wt.%
A	Deionised Water	Aqua	18.00
	Zemea® Propanediol	Propanediol	45.00
	Palmera G995EP	Glycerin	20.00
B	Sodium Hydroxide (sol.10%)	Sodium Hydroxide	9.50
C	Palmera B1802	Stearic Acid, Palmitic Acid	6.00
	Saliguard® EHG	Ethylhexylglycerin	0.75
	Parf. Lively Feeling Nat Blend 0811009	Parfum	0.75
	Total		100.00

Manufacturing Process

1. Heat phase A to 85-95° C and stir until clear.
2. Add and dissolve part B.
3. Add phase C little by little and stir until completely dissolved.
4. Add solution of phase D.
5. Add and dissolve perfume.
6. Poor into moulds at 80-85° C

Product Features

- Appearance: colorless (white), opaque
- Stability: Stable for more than 3 months at 20° C, 40° C and 4° C.

Prototype formulation provided by: Biesterfeld Spezialchemie GmbH., Zagreb, Croatia

For additional information or samples:

DuPont Tate & Lyle Bio Products Customer Service

198 Blair Bend Drive
Loudon, TN 37774

Tel: +1-866-404-7933
www.duponttateandlyle.com

